

ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The -1

WINSOMESK BUILDERS

BES Nagar, 1805 "A" wing Imprial Hights, Oshiwara Depot, Goregaon
(west) Mumbai -400104

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/435618/2023 dated 06 Jul 2023. The particulars of the
environmental clearance granted to the project are as below.

1. EC Identification No.	EC24B038MH119092
2. File No.	SIA/MH/INFRA2/435618/2023
3. Project Type	New
4. Category	B
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	Proposed Project "Winsome Mountain Crest" at Charholi, Pune by M/s Winsome SK Builders
7. Name of Company/Organization	WINSOMESK BUILDERS
8. Location of Project	MAHARASHTRA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 08/02/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/435618/2023
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s Winsome SK Builders,
Charholi, Pune

Subject : Environmental Clearance for Proposed Project "Winsome Mountain Crest" at Charholi, Pune by M/s Winsome SK Builders

Reference : Application no. SIA/MH/INFRA2/435618/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 179th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 270th & 275th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 10th January, 2024.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/INFRA2/435618/2023	
2.	Name of Project	Proposed Project "Winsome Mountain Crest" at Charholi, Pune by M/s Winsome SK Builders	
3.	Project category	Schedule 8(a) Category B2	
4.	Type of Institution	Private	
5.	Project Proponent	Name	Mr. Sanjeev Kumar, M/s Winsome SK Builders
		Regd. Office address	BES Nagar, 1805 " A " wing Imprial Hights, Oshiwara Depo, Goregaon (West) Mumbai
		Contact number	9371149702
		e-mail	sanjeevkumar@winsomeskbuilders.com
	Consultant	ACO Name - Srushti Seva Private Limited NABET - NABET/EIA/1821/SA 0107	
7.	Applied for	Fresh EC	
8.	Details of previous EC	NA	
9.	Location of the project	Plot no. 04, Sr. No. 299, Village - Charoli Budruk, Taluka - Haveli, District - Pune, State - Maharashtra, 412105	
	Latitude and Longitude	Latitude- 18°37'36.30"N, Longitude- 73°54'31.94"E .	
11.	Total Plot Area (m2)	8000	
12.	Deductions (m2)	0	
13.	Net Plot area (m2)	8000	
14.	Proposed FSI area (m2)	39080.06	

15.	Proposed Non-FSI area (m2)	28185.08				
16.	Proposed TBUA (m2)	67265.14				
17.	TBUA (m2) approved by Planning Authority till date	As per IOD				
19.	Total Project Cost (Rs.)	Rs. 85 crore				
20.	CER as per MoEF & CC circular dated 01/05/2018	Activity	Location	Cost (Rs.)	Duration	
		CER as per prevailing OM				
21.	Details of Building Configuration : <Please use following legends: Floor = F , Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>				Remark	
	Building Configuration as per Previous EC		Proposed Configuration			
	Building Name	Configuration	Building Name	Configuration	Height (m)	No Construction initiated on site.
	-	-	Commercial + MHaDA	B + G + Podium + 4 Commercial Floors + 12 Floors	55.2	
	-	-	Building A	B + Stilt + Podium + 26 Floors	85.2	
-	-	Building B	B + Stilt + Podium + 27 Floors	88.2		
22.	Total number of tenements	336 No of Residential tenements & 3627.5 Sqm of Commercial area				
23.	Water Budget	Dry Season (CMD)		Wet Season (CMD)		
		Fresh Water	179.0	Fresh Water	179.0	
		Recycled	104.0	Recycled	94.0	
		Swimming Pool	0.0	Swimming Pool	0.0	
		Flushing	94.0	Flushing	94.0	
		Total	283.0	Total	273.0	
		Wastewater generation	245.0	Wastewater generation	245.0	
24.	Water Storage Capacity for Firefighting/UGT	Fire UGT- As per NOC				
25.	Source of water	PCMC				
26.	Rainwater Harvesting (RWH)	Level of the Ground water table		Post monsoon: 8 to 12 M BGL Pre monsoon:15 to 20 M BGL		
		Size and no of RWH tank(s) and Quantity		NA		
		Quantity and size of recharge pits		5Nos of Size 2m x 2m x 2m		
		Details of UGT tanks if any		Domestic	270	
				Flushing	100	
				Fire	As per NOC	
27.	Sewage and	Sewage generation in	245.0			

	Wastewater	CMD		
		STP technology	Electro kompact	
		Capacity of STP (CMD)	250	
28.	Solid Waste Management during Construction Phase	Type	Quantity	Treatment / disposal
		Dry waste	As per NBC	Through authorized agency
		Wet waste	As per NBC	Through authorized agency
		Construction waste	As per C & D rules	Through authorized agency
29.	Solid Waste Management during Operation Phase	Type	Quantity	Treatment / disposal
		Dry waste	424 kg/d	Handed over to Authorized Agency
		Wet waste	576 kg/d	In-situ Composting
		Hazardous waste	Negligible	Negligible
		Biomedical waste	N.A.	N.A.
		E-Waste	2050 kg/year	Handed over to Authorized Dismantler/Recycler
		STP Sludge (dry)	23.40 kg/d	In-situ Composting
30.	Green Belt Development	Total RG area (m2)	800	
		Number of trees required	100 Nos	
31.	Power requirement	Source of power supply	MSEDCL	
		During Construction Phase (Demand Load)	70.18 kW	
		During Operation phase (Connected load)	3596 kW	
		During Operation phase (Demand load)	1417 kW	
		Transformer	630 kVA X 2 Nos, 315 kVA X 1 Nos	
		DG set	500 kVA X 1 Nos	
		Fuel used	HSD	
	Details of Energy saving	Most of the common area & external lighting are proposed to work on high energy efficient lamps (LED) as specified in bureau of energy efficiency which again results in saving in general consumption Low loss Transformers due to which 6.22% losses are saved against conventional transformer. Power Capacitors are proposed for load power factor correction and to maintain a healthy power situation. This also results in less demand load factor for the project. Solar PV, Hot Water, Solar Street Lights, Energy Efficient Motors are proposed		
32	Environmental Management plan budget during Construction phase	No.	Details	Cost per annum (Rs. In Lacs)
		1	Water for Construction, Labour& Dust Suppression	4.0

		2	Site Sanitation & Health & Safety PPE Kits	3.0	
		3	Environmental Monitoring	4.0	
		4	Disinfection& Health & Safety	3.0	
		5	Health Check up	3.0	
34.	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs.In Lacs)	O&M (Rs.In Lacs/Y)
		Sewage treatment	Wastewater Management	21.50	4.3
		RWH	RWH Pits	3.75	0.75
		Solid Waste	Organic Waste Composting	12.0	3.0
		Green belt developme nt	Tree Plantation	5.18	4.44
		Energy saving	Energy Conservation	76.45	7.00
		Environme ntal Monitoring	Pollution Control	0	6
		Disaster Manageme nt	Fire & LA	159.38	7.97
		PPE Kits Health & Safety	Biomedical Waste Management	0	1
35.	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
		4-Wheeler	272	272	10010.00
		2-Wheeler	508	508	
36.	Details of Court cases / litigation w.r.t. the project and project location if any	NIL			

3. The proposal has been considered by SEIAA in its 275th (Day-1) meeting held on 10th January, 2024. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit the copy of IoD.
2. PP to undertake that occupation will not be given till adequate AMSL height is received from competent authority. PP to restrict height of building accordingly.

3. PP to increase the energy saving by solar energy.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.
6. STP technology needs to be rechecked and unless proven may be changed.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 800 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. This EC is restricted up to 86.13 m height as per Civil Aviation NOC.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
6. SEIAA after deliberation decided to grant EC for-FSI- 39080.06 m², Non FSI-28099.00 m², total BUA-67,179.06 m². (Plan approval No-BP/EC/Charholi/05/2023, dated-25.08.2023) (FSI restricted as per approval and non FSIA as per appraisal)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.

- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent

possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution

- Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, PCMC Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

Signature Not Verified

Digitally signed by: Sri Pravin C.
Darade, I.A.S.

Designation: Member Secretary

Date and Time: 24/02/2024 5:16:15 PM